

Butterflies of Bankhead Moss

S.T. Buckland

Butterflies of Bankhead Moss

S.T. Buckland

I have included just those species I have managed to catch on camera at Bankhead Moss.

Steve Buckland steve@st-andrews.ac.uk 20/August/2025

Contents

| Large white | 4 |
|---------------------|----|
| Small white | 5 |
| Green-veined white | 6 |
| Orange tip | 7 |
| Small copper | 8 |
| Red admiral | 9 |
| Small tortoiseshell | 10 |
| Peacock | 11 |
| Comma | 12 |
| Speckled wood | 13 |
| Wall | 14 |
| Meadow brown | 15 |
| Ringlet | 16 |



Large white

Less common than the small white, the large white can occasionally be seen on the Moss. It tends to keep moving, making it difficult to photograph!



Small white

Common especially in farmland, but usually less common than the green-veined white.



Green-veined white

A very common species. The photo bottom right was taken at night when I was out mothing.






Orange tip

The adult is mostly recorded in late spring and early summer. It is patchily-distributed, favouring marshy areas.





Small copper

Fairly widely distributed in Fife. The shot on the right was taken with flash after dark while mothing.









Red admiral

A common species especially in late summer.







Small tortoiseshell

A common and familiar species.





Peacock

The peacock has spread north in recent years and is now one of the most common butter-

flies in Fife.





Comma

A distinctive species that has spread northwards into Fife. This one was at Bankhead Moss in late September 2018.





Speckled wood

This species is a recent arrival to Fife. The above one was in the mixed woodland in late June 2024, and the one below was there in late September 2024.





Wall

Another recent arrival in Fife, the wall colonised the coast first, and is now becoming established inland. This one was on the marsh at Bankhead Moss in mid-August 2025.



Meadow brown

A common grassland species.





Ringlet

Common in grassland.

